Upcoming Work at Buildings 386/388

Investigation Area C2

Presented to

Mare Island Restoration Advisory Board


September 24, 2020

Discussion Topics

- Buildings 386/388 Site Description
- Historic Investigations and Remedial Activities
- Current Status
- Upcoming Work
- Path Forward
- Questions

Buildings 386/388 – Site Description





View is Across Bagley Street to the Southeast

Buildings 386/388 – Site Description (Continued)



Building 386 - Interior
View to the South
(Prior to
Equipment Removal)

Building 386 - Interior View to the South (Following Equipment Removal and Remediation)

Building 386 - Interior View to the North – During Remediation (Southern Dirt Area)

Buildings 386/388 – Site Description (Continued)



Building 388 - Interior Views of Equipment and Products

Buildings 386/388 – Site Description (Continued)

- Located in South Central Portion of IA C2
- Industrial Property
- Buildings 386/388
 - Building 386 84,135-Square Foot Building with Large Open Main Bay
 - Building 388 69,800-Square Foot Building with Large Open Main Bay
 - Constructed of Metal with an Asphalt and Concrete Foundation
 - Surrounded by Asphalt Parking Areas and Roadways

Historic Use

- Building 386
 - Constructed in 1922 Forge Shop and Metal Working Facility
 - Currently Used for Production of Modular Office / Classrooms by iMOD Structures
- Building 388
 - Constructed in 1922 Production Shop
 - Currently Used as Metal Fabrication Facility by XKT Engineering

Future Use


Per 2000 Land Use Plan – Industrial Reuse


Historic Investigations and Remedial Activities


- The Twenty-First Century (2001 to 2017)
 - Constituents of Concern
 - Petroleum Hydrocarbons, Polychlorinated Biphenyls (PCBs) and Metals (Lead)
 - One PCB Site Building 386 AL#01
 - Remediated in 2010
 - No Underground Storage Tank (UST) Sites
 - Fuel-Oil Pipelines in Building 386
 - ❖ Segment in Building E2/3/B386 Aboveground and Elevated on Building Superstructure
 - Conclusion of Report Oil Pipes Aboveground; No Soil Contamination from Underground Pipelines
 - Granted Closure by the Department of Toxic Substances Control and the Water Board in 2004/2005
 - 2007 Soil Gas Investigation Volatile Organic Compounds (VOCs)
 - Two (2) Monitoring Locations in Building 386 IR21GB0200 and IR21GB0201
 - One (1) Monitoring Location in Building 388 B388GB0101
 - 2010 Remediation of Building 386 Area
 - Underground Oil Pipelines Discovered During Remedial Activities
 - Southern Dirt Floor Area
 - ✓ E2/3/B386A, E2/1.5/B386A, E2/1.5/B386B, E2/3/B386D
 - Northwestern Removal Area
 - ✓ E2/3/B386B
 - Northern Quench Tank Area
 - ✓ E2/3/B386C
 - Considered to be Potential Environmental Concerns
 - ✓ Additional Investigation and Remedial Actions Required

- The Twenty-First Century (2013 to 2014)
 - Underground Oil Pipeline Investigations and Remedial Activities (2013)
 - Excavated Previously Located Pipeline Termini
 - Collected Soil Sample at Each Previously Located Pipeline Terminus
 - Excavated New Located Pipeline Terminus
 - Collected Soil Sample at Each Newly Located Pipeline Terminus
 - Analyzed Pipeline Termini Soil Samples for Petroleum Hydrocarbons and Polynuclear Aromatic Hydrocarbons (PAHs)
 - Electronically Traced and Video-Logged Pipelines, as Feasible
 - Vacuum Tested Bad Condition Pipelines
 - Flushed (Non-Phosphate Detergent) Oil Pipeline Segments Containing Free-Phase Liquids
 - Collected Rinsate Samples from Flushed Pipelines and Analyzed for Petroleum Hydrocarbons
 - Sealed Ends of Pipelines that Appeared to be in Good Condition
 - Remove Pipelines that Appeared to be in Bad Condition
 - Underground Oil Pipeline Investigations and Remedial Activities (2013-2014)
 - Potholed Along Suspected Pipeline Segments E2/3/B386 and E2/1.5/B386
 - ✓ Evaluate Current Presence or Absence
 - Collected Additional Soil Samples Along Suspected Pipeline Alignments
 - ✓ Collected Additional Soil Samples to Adequately Characterize Total Petroleum Hydrocarbons in Soil
 - Installed Four (4) Temporary Groundwater Wells
 - ✓ Evaluate Current Groundwater Conditions

- The Twenty-First Century (2016 to 2017)
 - Underground Oil Pipeline Remedial Activities (2016-2017)
 - Excavated Soil at Eight (8) Locations
 - ✓ Six (6) Locations Associated with Oil Pipelines
 - ✓ Two (2) Locations Associated with Underground Tank / Flow-Through Structure
 - Collected Soil Confirmation Samples
 - ✓ Analyzed for Total Petroleum Hydrocarbons and PAHs
 - Maximum Remaining Total Petroleum Concentrations in Soil
 - √ 2,200 Milligrams Per Kilogram (mg/kg) Total Petroleum Hydrocarbons as Diesel (TPHd)
 - √ 3,700 mg/kg Total Petroleum Hydrocarbons as Motor Oil (TPHmo)
 - Maximum Remaining Total Petroleum Concentrations in Groundwater (2014)
 - √ 3,700 Micrograms per Liter (µg/L) TPHd
 - √ 3,100 µg/L TPHmo
 - Reports Documenting Investigations and Remedial Activities
 - Implementation Report and Request for Closure for IR21 and the Buildings 386, 388, and 390 Area, Investigation Area C2, Lennar Mare Island, Vallejo, California. January 18, 2011 (CH2M HILL)
 - ❖ Building 386 Oil Pipe Phase I and II Investigation Report, Investigation Area C2, Lennar Mare Island, Vallejo, California. May 1, 2014 (Terraphase Engineering)
 - ❖ Building 386 Tank and Pipelines E2/1/5/B386A, E2/1.5/B386B, E2/3/B386A, E2/3/B386B, E2/3/B386C and E2/3/B386D Soil Removal and Request for Closure Report, Eastern Early Transfer Parcel, Mare Island, Vallejo, California. June 17, 2019 (Terraphase Engineering)








Previously Unknown Underground Structure

Draining Oil in Pipeline




Pipeline in Poor Condition





Pipelines in Poor Condition



Corroded Pipeline 15





Pipelines in Poor Condition

Current Status

Current Status

- Flushed, Sealed and/or Removed Corroded Pipelines
- Removed Underground Tank / Regulator Structure
- Removed Petroleum Hydrocarbons and PAHs in Soil Detected Above Cleanup Goals
- Cleanup Goals Soil
 - ❖ Total Petroleum Hydrocarbons as Diesel / Motor Oil (TPHd / TPHmo):
 - ✓ TPHd 500 mg/kg (0 to ≤ 3 feet below ground surface [bgs])
 - \checkmark TPHd 5,000 mg/kg (> 3 feet to 10 feet bgs)
 - ✓ TPHmo 2,500 mg/kg (0 to < 3 feet bgs)
 - ✓ TPHd 5,000 mg/kg (> 3 feet to 10 feet bgs)
 - ❖ PAHs Range from 0.13 mg/kg (Benzo(a)pyrene) to 2,500 mg/kg (Pyrene)
- Remaining Maximum Concentrations Soil
 - Total Petroleum Hydrocarbons as Diesel / Motor Oil
 - ✓ TPHd 490 mg/kg (0 to ≤ 3 feet bgs)
 - ✓ TPHd 2,200 mg/kg (> 3 feet to 10 feet bgs)
 - ✓ TPHmo 2,200 mg/kg (0 to \leq 3 feet bgs)
 - ✓ TPHd 3,700 mg/kg (> 3 feet to 10 feet bgs)
 - ❖ PAHs
 - ✓ Benzo(a)pyrene 0.4 mg/kg
 - ✓ Pyrene 0.85 mg/kg

Current Status (Continued)

- Cleanup Goals Groundwater
 - ❖ Total Petroleum Hydrocarbons as Diesel / Motor Oil (TPHd / TPHmo):
 - ✓ TPHd 5,000 µg/L
 - ✓ TPHmo 5,000 µg/L
 - PAHs Range from 0.2 μg/L (Benzo(g,h,i)perylene) to 11,000 μg/L (Naphthalene)
- Remaining Maximum Concentrations Groundwater
 - Total Petroleum Hydrocarbons as Diesel / Motor Oil
 - ✓ TPHd 3,700 µg/L
 - ✓ TPHd 3,100 µg/L
 - PAHs
 - ✓ Benzo(g,h,i)perylene <0.1 µg/L</p>
 - ✓ Naphthalene < 0.1 µg/L

Regulatory Agency Comments


- Perform Soil-Gas Monitoring in Buildings 386/388
 - TPHd No Soil-Gas Data
 - Aromatic Hydrocarbons
 - ✓ Benzene, Toluene and Xylenes Below 2019 Environmental Screening Levels (ESLs)
 - ❖ Trichloroethene (TCE) Detected in Soil-Gas at 258.91 micrograms per cubic meter of air (µg/m³)
 - Residential ESL 29.3 μg/m³; Commercial / Industrial ESL 67 μg/m³

Upcoming Work

Soil Gas Investigation


- Installation of Soil Gas Monitoring Points
 - Eleven (11) Points in Total
 - ✓ Nine (9) in Building 386 and Two (2) in Building 388
 - ❖ Points to be Installed to a Maximum Depth of 4 feet bgs
- Monitor Soil Gas Concentrations
 - Two Monitoring Events
 - ✓ Dry Weather Event
 - ✓ Wet Weather Event
 - ☐ After a Significant Precipitation Event ≥ 0.5 inch Over a 24-Hour Period
 - Analyze Samples
 - ✓ Volatile Organic Compounds
 - Naphthalene, Trichloroethene (TCE), cis-1,2-Dichloroethene (cis-1,2-DCE), trans-1,2-DCE, Vinyl Chloride
 - ✓ Total Petroleum Hydrocarbons as Diesel (TPHd)

Upcoming Work (Continued)



Upcoming Work (Continued)

Soil Gas Monitoring Probe Construction Detail



Path Forward

Buildings 386/388

- ➤ Receive Regulatory Approval for Soil-Gas Investigation Work Plan (Fall/Winter 2020)
- Prepare Cost Estimate for the Work to Navy
 - ❖ Navy Approved Cost Estimate (Early 2021)
- Implement the Work (2021)
 - Wet Weather Monitoring Event
 - Dry Weather Monitoring Event
- Evaluate Results

Questions?

Acronyms and Abbreviations

- µg/L Micrograms per Liter
- μg/m³ Micrograms per Cubic Meter of Air
- bgs below ground surface
- DCE Dichloroethene
- ESL Environmental Screening Level
- mg/kg Milligrams per Kilogram
- PAH Polynuclear Aromatic Hydrocarbons
- PCB Polychlorinated Biphenyl
- TCE Trichloroethene
- TPHd Total Petroleum Hydrocarbons as Diesel
- TPHmo Total Petroleum Hydrocarbons as Motor Oil
- UST Underground Storage Tank
- VOC Volatile Organic Compound